


// GF-9



// GF-9



The GF-9 Crane is a professional lightweight and modular crane for remote head operation. It can be built as small as 1 m / 3' arm and extends to a maximum height of 10.05 m / 33' where it will carry a remote head and camera system of 25 kg / 55 lbs. All smaller versions carry at least 30 kg / 66 lbs. The GF-9 is extremely portable and mobile, designed with safety, ease of transportation and stability in mind. It mounts on a purpose built, heavy-duty tripod and can also fit on the GF-8 Base Dolly and in fact most standard dolly systems with Euro-adapter or Mitchell mounts.

FEATURES

- Remote operation up to 10.05 m / 33'
- Accommodates remote heads / cameras from 25 kg / 55 lbs to 45 kg / 99 lbs
- Ultra modular design
- Lightweight aluminium parts
- No special extension needed for front or back thanks to angle adjuster system
- Extremely stable arm
- Fits on most dollies
- Surface hardened finish (Hart-Coat®)
- Dedicated tripod
- TÜV Certified and Safety Type Tested



Version	Max. height	Front reach	Front extensions	Max. payload	Counterweight with max. payload	Counterweight for arm unloaded	Transport weight without counterweight / Dolly
1	376 cm / 12'7"	258 cm / 8'5"	1 x 150 cm / 5'	45 kg / 99 lbs	28 kg / 61 lbs	–	92 kg / 202 lbs
2	466 cm / 15'3"	335 cm / 10'11"	1 x 150 cm / 5' + 1 x 100 cm / 3'3"	45 kg / 99 lbs	64 kg / 140 lbs	–	98 kg / 215 lbs
3	511 cm / 16'9"	385 cm / 12'7"	2 x 150 cm / 5'	45 kg / 99 lbs	84 kg / 184 lbs	8 kg / 17.6 lbs	101 kg / 222 lbs
4	601 cm / 19'8"	485 cm / 15'10"	2 x 150 cm / 5' + 1 x 100 cm / 3'3"	45 kg / 99 lbs	126 kg / 277 lbs	22 kg / 48.4 lbs	108 kg / 237 lbs
5	646 cm / 21'2"	535 cm / 17'6"	3 x 150 cm / 5'	30 kg / 66 lbs	106 kg / 233 lbs	36 kg / 79 lbs	112 kg / 246 lbs
6	735 cm / 24'1"	635 cm / 20'10"	3 x 150 cm / 5' + 1 x 100 cm / 3'3"	30 kg / 66 lbs	140 kg / 308 lbs	60 kg / 132 lbs	118 kg / 259 lbs
7	780 cm / 25'7"	685 cm / 22'5"	4 x 150 cm / 5'	30 kg / 66 lbs	204 kg / 448 lbs	64 kg / 140 lbs	122 kg / 268 lbs
8	870 cm / 28'6"	785 cm / 25'9"	4 x 150 cm / 5' + 1 x 100 cm / 3'3"	30 kg / 66 lbs	224 kg / 492 lbs	84 kg / 184 lbs	128 kg / 281 lbs
9	915 cm / 30'	835 cm / 27'4"	5 x 150 cm / 5'	30 kg / 66 lbs	238 kg / 523 lbs	112 kg / 246 lbs	138 kg / 303 lbs
10	1005 cm / 32'11"	935 cm / 30'8"	5 x 150 cm / 5' + 1 x 100 cm / 3'3"	25 kg / 55 lbs	252 kg / 554 lbs	140 kg / 308 lbs	143 kg / 314 lbs



GF-9315 GF-9 adapter to Euro-adapter



GF-9316 GF-9 adapter plate to Mitchell



GF-9200 Tripod for GF-9 Crane (adjustable height and levelling system)



GF-9130 Mounting column for GF-9 (without pan bearing)



GF-9317 Counterweight rod adapter incl. weight rod



GF-9125 Counterweight bucket

GF-9 ON SET

